



	PART DIMENSIONS				
	MIN	MAX			
WIDTH	6.50 [165]				
DEPTH	21.56 [547,6]				
HEIGHT	25.50 [647,7]	29.50 [749,3]			

MIN CABINE	ET OPENING
WIDTH	7.00 [177,8]
DEPTH	21.75 [552]
HEIGHT	25.63 [651]

	SLIDE	SPECIFICATIONS		
SLIDE TYPE	BLUM TANDEM BLUMOTION	SLIDE EXTENSION	FULL	MAX WEIGHT
SLIDE CLOSING	SELF/SOFT	SLIDE LENGTH	21.50 [546]	RATING
SLIDE MOUNTING	BOTTOM	SLIDE FINISH	ZINC	140 LB STATIC

CUSTOMER DRAWING

REV.	DATE	BY	DESCRIPTION OF CHANGE	— (ALL) .>	$(XX \pm .005 [.13 \mathrm{mm}]$	d	וכואוו ו		I AK	448-BCSC-6C STREET 2 0 2
					D) .XX ±.03 [.8mm] R) .XX ±.02 [.5mm		FINISI		DAD	T NO. SHEET OF
				MAT.	DEC.	ANGLES	MAIE	KIAL		448-BCSC-6C 0.200
					TOLERANCES		MATE	DIAI		WING NO. SCALE
				— ՝ ՝					B	BLUM SOFT CLOSE SLIDES
				- [MM]			141414	1 10 11	SIZE	6.5" 448 WITH
				INCH	PROJECTION	DRAWN	KRR	1-16-14		May Arbinagr, inc.
					AMERICAN		BY	DATE		RGV·A·SHELF®inc.

-	This drawing is the property of Rev-A-Shelf (RAS) and is disclosed
	in confidence to the extent its subject matter is original to RAS. Any
	vendor receiving this drawing from RAS shall hold and use this drawing
	for the sole benefit of RAS and shall not disclose it to, or use or
	reproduce it for any third party, or perform any act adverse to the interest
	of RAS with respect to this drawing without the express written permission
	of RAS. Vendors shall not revise any physical, dimensional or
	performance characteristic unless authorized by Rev-A-Shelf Engineering.