


88 5648 49C Hall Tree Storage Bench

IMPORTANT NOTE


Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occurring to the wood parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.


*Home
Styles*




BASE UNIT PART LIST



A.
Seat
1 pc.




D.
Front Panel
1 pc.




E.
Back Panel
1 pc.



B.
Side Panel
1 pc.




C.
Side Panel
1 pc.



F.
Base
1 pc.

HARDWARE LIST



Spring Support
2 pcs.



Hex Wrench
1 pc.



**Small
Hex Wrench**
1 pc.



Cross Dowel
8 pcs.(+2 extra)



**Wood Screw
(for Spring Support)**
8 pcs.(+1 extra)



**Head Cap Bolt
(short)**
4 pcs.(+ 1 extra)



Wood Plug
8 pcs. (+1 extra)

Tools Required For Assembly : Phillips screwdriver

Assembly Instructions


IMPORTANT

*Do not tighten up all the screws until each part is properly assembled.
You should keep Hex Wrench in the safe place as you may need to tighten up the Head Cap Bolts in the future.*

STEP 1

Insert Cross Dowels into the holes of Front Panel (D) and Back Panel (E).

Attach the Side Panel (B) and (C) to the Front Panel and Back Panel with Head Cap Bolts.



STEP 2

Attach the Seat (A) to the assembled unit with Head Cap Bolts (short).

Put the Base (F) into the storage.





Figure 1.1

Figure 1.2



STEP 3

Attach Spring Support to the unit with Wood Screws into the pre-drilled holes. (see Figure 1.1, 1.2, 1.3)





Figure 1.3



STEP 4

Cover all holes with Plugs.


88 5648 49C Hall Tree Storage Bench

IMPORTANT NOTE

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occurring to the wood parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.


*Home
Styles*




TOP UNIT PART LIST



G.
Top
1 pc.




J.
**Upper
Back Frame**
1 pc.



K.
**Lower
Back Frame**
1 pc.




L.
Back Stretcher
2 pcs.




H.
Side Panel
1 pc.



I.
Side Panel
1 pc.



M.
Arm
1 pc.



N.
Arm
1 pc.

HARDWARE LIST



**Head Cap Bolt
(short)**
4 pcs.(+1 extra)




**Head Cap Bolt
(long)**
20 pcs.(+1 extra)



Wood Screw
8 pcs.
(+1 extra)



Wood Plug
12 pcs.
(+1 extra)



Hook
4 pcs.

Tools Required For Assembly : Phillips screwdriver

Assembly Instructions 2/3



IMPORTANT

Do not tighten up all the screws until each part is properly assembled.

You should keep Hex Wrench in the safe place as you may need to tighten up the Head Cap Bolts in the future.

STEP 1

Attach the Hooks to the Upper Back Frame (J) with Wood Screws.




STEP 2


Assemble the Back Stretcher (L), Upper Back Frame (J) and Lower Back Frame (K).

STEP 3

Attach the Side Frame to the assembled unit



Assembly Instructions 3/3



STEP 4

Attach the Top (G) to the Side Panel (H) and (I) with Head Cap Bolts as shown.



Attach the Arm (M) and (N) to the Side Panels with Head Cap Bolts.

Head Cap Bolt (short)

STEP 5

Place the Top Unit on the Base Unit.

Tighten up all the Head Cap Bolts.



STEP 6

Cover all holes with Plugs