

ADAH1718B



5" x 18" x 18" (H x W x D)

18 inch wide ADA compliant ductless range hood in black finish with remote wall switch

Highlights:

ADA compliant design allows you to control the hood from a wall light switch for easier accessibility

18" wide range hood matches slim apartment sized ranges and cooktops

Designed for ductless (recirculating) operation

Product Features:

ADA compliant design	Hood is wired to run off a wall switch for improved accessibility, with a remote terminal block included
18" width	Designed to fit over slimmer ranges and cooktops
Ductless range hood	Use for recirculating operation where no ducting to the outside is available
Black finish	Stainless steel and white range hoods also available in this size and series
Two-speed fan	High and low setting gives you the right amount of power for most general cooking applications
Dishwasher-safe aluminum filter	Removable mesh filter with solid construction and easy cleanability
Charcoal liner	Filter includes a charcoal liner for better absorption of grease and odors
Switchable light option	Unit can accept a light bulb (max 40W) with the switch included on the remote terminal block. Bulb is not included.
Made in the USA	Solidly constructed for years of use



ADAH1718B Specifications:

Overview	
Height of Cabinet	5.0" (13 cm)
Width	18.0" (46 cm)
Depth	18.0" (46 cm)
Cabinet	Black
US Electrical Safety	UL
Weight	14.0 lbs. (6 kg)
Shipping Weight	15.0 lbs. (7 kg)
Estimated Time to Ship	3 to 4 Weeks
Parts & Labor Warranty	1 Year
Range Hood	
Installation	Under Cabinet
Venting	Recirculating
Number of Fan Speeds	2
Maximum Air Movement	160.0 CFM



ADAH1720B



5" x 20" x 18" (H x W x D)

20 inch wide ADA compliant ductless range hood in black finish with remote wall switch

Highlights:

ADA compliant design allows you to control the hood from a wall light switch for easier accessibility

20" wide range hood matches slim apartment sized ranges and cooktops

Designed for ductless (recirculating) operation

Product Features:

ADA compliant design	Hood is wired to run off a wall switch for improved accessibility, with a remote terminal block included
20" width	Designed to fit over slimmer ranges and cooktops
Ductless range hood	Use for recirculating operation where no ducting to the outside is available
Black finish	Stainless steel and white range hoods also available in this size and series
Two-speed fan	High and low setting gives you the right amount of power for most general cooking applications
Dishwasher-safe aluminum filter	Removable mesh filter with solid construction and easy cleanability
Charcoal liner	Filter includes a charcoal liner for better absorption of grease and odors
Switchable light option	Unit can accept a light bulb (max 40W) with the switch included on the remote terminal block. Bulb is not included.
Made in the USA	Solidly constructed for years of use



ADAH1720B Specifications:

Overview	
Height of Cabinet	5.0" (13 cm)
Width	20.0" (51 cm)
Depth	18.0" (46 cm)
Cabinet	Black
US Electrical Safety	UL
Weight	14.0 lbs. (6 kg)
Shipping Weight	15.0 lbs. (7 kg)
Estimated Time to Ship	Next day shipping
Parts & Labor Warranty	1 Year
Range Hood	
Installation	Under Cabinet
Venting	Recirculating
Number of Fan Speeds	2
Maximum Air Movement	160.0 CFM



ADAH1724B



5" x 24" x 18" (H x W x D)

24 inch wide ADA compliant ductless range hood in black finish with remote wall switch

Highlights:

ADA compliant design allows you to control the hood from a wall light switch for easier accessibility

24" wide range hood matches slim apartment sized ranges and cooktops

Designed for ductless (recirculating) operation

Product Features:

ADA compliant design	Hood is wired to run off a wall switch for improved accessibility, with a remote terminal block included
24" width	Designed to fit over slimmer ranges and cooktops
Ductless range hood	Use for recirculating operation where no ducting to the outside is available
Black finish	Stainless steel and white range hoods also available in this size and series
Two-speed fan	High and low setting gives you the right amount of power for most general cooking applications
Dishwasher-safe aluminum filter	Removable mesh filter with solid construction and easy cleanability
Charcoal liner	Filter includes a charcoal liner for better absorption of grease and odors
Switchable light option	Unit can accept a light bulb (max 40W) with the switch included on the remote terminal block. Bulb is not included.
Made in the USA	Solidly constructed for years of use



ADAH1724B Specifications:

Overview	
Height of Cabinet	5.0" (13 cm)
Width	24.0" (61 cm)
Depth	18.0" (46 cm)
Cabinet	Black
US Electrical Safety	UL
Weight	14.0 lbs. (6 kg)
Shipping Weight	15.0 lbs. (7 kg)
Estimated Time to Ship	Next day shipping
Parts & Labor Warranty	1 Year
Range Hood	
Installation	Under Cabinet
Venting	Recirculating
Number of Fan Speeds	2
Maximum Air Movement	160.0 CFM



ADAH1730B



5" x 30" x 18" (H x W x D)

30 inch wide ADA compliant ductless range hood in black finish with remote wall switch

Highlights:

ADA compliant design allows you to control the hood from a wall light switch for easier accessibility

30" wide range hood matches commonly sized ranges and cooktops

Designed for ductless (recirculating) operation

Product Features:

ADA compliant design	Hood is wired to run off a wall switch for improved accessibility, with a remote terminal block included
30" width	Designed to fit over commonly sized ranges and cooktops
Ductless range hood	Use for recirculating operation where no ducting to the outside is available
Black finish	Stainless steel and white range hoods also available in this size and series
Two-speed fan	High and low setting gives you the right amount of power for most general cooking applications
Dishwasher-safe aluminum filter	Removable mesh filter with solid construction and easy cleanability
Charcoal liner	Filter includes a charcoal liner for better absorption of grease and odors
Switchable light option	Unit can accept a light bulb (max 40W) with the switch included on the remote terminal block. Bulb is not included.
Made in the USA	Solidly constructed for years of use



ADAH1730B Specifications:

Overview	
Height of Cabinet	5.0" (13 cm)
Width	30.0" (76 cm)
Depth	18.0" (46 cm)
Cabinet	Black
US Electrical Safety	UL
Weight	18.0 lbs. (8 kg)
Shipping Weight	20.0 lbs. (9 kg)
Estimated Time to Ship	Next day shipping
Parts & Labor Warranty	1 Year
Range Hood	
Installation	Under Cabinet
Venting	Recirculating
Number of Fan Speeds	2
Maximum Air Movement	160.0 CFM





ADAH1736B



5" x 36" x 18" (H x W x D)

36 inch wide ADA compliant ductless range hood in black finish with remote wall switch

Highlights:

ADA compliant design allows you to control the hood from a wall light switch for easier accessibility

36" wide range hood matches slim apartment sized ranges and cooktops

Designed for ductless (recirculating) operation

Product Features:

ADA compliant design	Hood is wired to run off a wall switch for improved accessibility, with a remote terminal block included
36" width	Designed to fit over standard cooktops and ranges
Ductless range hood	Use for recirculating operation where no ducting to the outside is available
Black finish	Stainless steel and white range hoods also available in this size and series
Two-speed fan	High and low setting gives you the right amount of power for most general cooking applications
Dishwasher-safe aluminum filter	Removable mesh filter with solid construction and easy cleanability
Charcoal liner	Filter includes a charcoal liner for better absorption of grease and odors
Switchable light option	Unit can accept a light bulb (max 40W) with the switch included on the remote terminal block. Bulb is not included.
Made in the USA	Solidly constructed for years of use



ADAH1736B Specifications:

Overview	
Height of Cabinet	5.0" (13 cm)
Width	36.0" (91 cm)
Depth	18.0" (46 cm)
Cabinet	Black
US Electrical Safety	UL
Weight	14.0 lbs. (6 kg)
Shipping Weight	15.0 lbs. (7 kg)
Estimated Time to Ship	3 to 4 Weeks
Parts & Labor Warranty	1 Year
Range Hood	
Installation	Under Cabinet
Venting	Recirculating
Number of Fan Speeds	2
Maximum Air Movement	160.0 CFM

